

Federal Aviation Administration National Simulator Program



Statement of Qualification

The Federal Aviation Administration (FAA) National Simulator Program (NSP) has evaluated this Flight Simulation Training Device (FSTD) and found it to meet the standards set forth in the qualification document.

Sponsor	Leonardo S.p.a Helicopters
FAA ID	1908
Aircraft Designation	Leonardo AW189
Qualification Document	14 CFR Part 60 (2016), Appendix C
Qualification Level	D
Expiration Date	12/31/2025

With the exception of noted exclusions for which this FSTD has not been subjectively tested, the qualification of this FSTD includes the tasks set out in the applicable qualification document. To maintain qualification, this FSTD must continue to meet all the standards and specifications of the qualification document and is subject to the conditions and limitations in the FSTD Information and Configuration List as well as the last FAA FSTD Evaluation Report. This certificate is not transferable, and unless revoked, suspended, or amended is valid until the expiration date.

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Section 1. Sponsor FSTD Location Contact Information			
FSTD Location			
Training Facility Name:	Leonardo Bristow Training Center		
Address:	Dyce Avenue		
City:	ABERDEEN		
State/Prov/Terr:	UK		
Country:	GBR		
ZIP:	AB21 0LQ		
Local FAA Authority/ FAA Training Program Approval Authority (TPAA)			
Name:	Caballero, Ahmed		
Address:	8700 Freport Parkway		
City:	IRVING		
State/Prov/Terr:	TX	Office:	
Country:	USA	Cell:	689-244-9593
ZIP:	75063	Email:	Ahmed.Caballero-Sanabria@faa.gov
FAA Alternate POC (APM, FTPM, if applicable)			
Name:			
Address:			
City:			
State/Prov/Terr:		Office:	
Country:		Cell:	
ZIP:		Email:	
Sponsor FSTD Management Representative			
Name:	Cella, Alessandro		
Address:	Via Indipendenza, 2		
City:	SESTO CALENDE		
State/Prov/Terr:	IT	Office:	+39 0331 915062
Country:	ITA	Cell:	+39 3455 775607
ZIP:	21018	Email:	alessandro.cella@leonardo.com
Sponsor FSTD Local Contact			
Name:	Orsini, Daniele		
Address:	Via Indipendenza, 2		
City:	SESTO CALENDE		
State/Prov/Terr:	IT	Office:	+39 0331 915097
Country:	ITA	Cell:	+39 340 601 7320
ZIP:	21018	Email:	daniele.orsini@cae.com

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Section 2. FSTD Information			
A/C Common Name:	AGUSTA AGUSTA-AW189	Manufacturer Name:	CAE
A/C Alternative Name:	Leonardo AW189	Manufactured Year:	2015
Qualification Basis:	14 CFR Part 60 (2016), Appendix C	Manufacture Serial No:	2E4K-1293
Qualification Level:	D	Sponsor's FSTD ID:	AW189 FFS#2
FSTD Class:	Helo FFS	Evaluation Base Month:	Sep
FSTD Seats Available:	5	FSTD Convertible to:	
FSTD Configuration Information			
FSTD Configuration (1):	AGUSTA-AW189-AW189		
FSTD Configuration (2):			
FSTD Configuration (3):			
FSTD Configuration (4):			
FSTD Configuration (5):			
FSTD Engine Information			
Pri. Engine Type / Thrust:	GE CT7-2E1 / 1983 shp	FADEC Version:	SWVer. 5.0
Alt. Engine Type / Thrust:		FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	
Flight Instrumentation & Systems			
<input type="checkbox"/> NVG	<input type="checkbox"/> Other:		
<input type="checkbox"/> CPDLC	<input type="checkbox"/> Other:		
<input type="checkbox"/> EFB Class:	<input type="checkbox"/> Other:		
Data Sources & Models			
Flight Control Data: Model/Revision:	AW189 Flight Controls Data Gathering Report THSS-189G1920X001		
Aero Model: Source/Model/Revision:	AW189 Flight Test Report (8600 Kg MTOW) THSS-189G1920T003 Rev. E		
Visual System			
Image Generator Make/Model:	CAE Medallion 6220		
Display Type:	Direct, Non-Collimated	Visual Projector Type:	Projection
Horizontal Field of View (degs):	210	Vertical Field of View (degs):	80
Avionics			
Manufacturer	LH Avionics		
Model	System SW		
Standard/Revision	Phase 5.0		

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Flight Management System			
Manufacturer:	AMMS -		
Model:	LH SW		
Type/Revision:	Ver. 5.5.5		

Motion System	
Manufacturer:	CAE Moog EMM60 Electric 6-DOF with 3-DOF Vibration
Type:	Electric
Axis:	6

Airport Qualification Models	
1: Airport / Runways / Taxiway:	KTEB / All / All
2: Airport / Runways / Taxiway	KHOU / All / All
3: Airport / Runways / Taxiway	LIRF / All / All

Visual Ground Segment	
Airport / Landing RW	KJFK 04R

Helicopter Non-Airport Landing Areas	
Elevated Surface:	N40:45:50 / W74:05:40 (KTEB pinnacle landing area)
Confined Landing Area:	"S. Pertini" and "P. Repubblica" -- confined areas
Sloped Surface	N41:57:56.19 / E12:29:04.72 (Rome); N40:45:50 / W74:05:40 (near KTEB pinnacle landing area)

Other National Aviation Authority Qualifications (US-NAA/BASA-SIPs Agreements Only)			
NAA Name:			
NAA FSTD ID No:			
NAA Qualification Level:			
NAA Qualification Basis:			

Federal Aviation Administration
National Simulator Program
FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Except for Non-Qualified items, this FSTD is qualified to perform all maneuvers, procedures, tasks, and functions listed in the applicable QPS Appendix Tables 1B and 1C of 14 CFR Part 60 as amended. Additionally, this FSTD is qualified to perform maneuvers, procedures, tasks, and functions annotated in sections 3a, 3b, or 3c. Specific use in conjunction with any training program must be approved by the FAA Training Program Approval Authority (TPAA).

Section 3a. Level 6 and Above FSTD Additional FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (A,B,C, or D) Attachment 1, Table 1B)			
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
CAT I (Minimums IAW sponsor/operator authorization)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CAT II (Minimums IAW sponsor/operator authorization)	<input type="checkbox"/>	<input type="checkbox"/>	
CAT III (Minimums IAW sponsor/operator authorization)	<input type="checkbox"/>	<input type="checkbox"/>	
Circling Approach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	KJFK/ILS/4R-31R
Windshear Training	<input type="checkbox"/>	<input type="checkbox"/>	
Auto-Coupled Approach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Auto Go Around	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Auto-Land / Roll-Out Guidance	<input type="checkbox"/>	<input type="checkbox"/>	
TCAS/ACAS I / II Ver 7.1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
WX-Radar	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
HUD / HGS	<input type="checkbox"/>	<input type="checkbox"/>	
EFVS / SVS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	SVS
TAWS (GPWS / EGPWS)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	HTAWS (EGPWS)
SMGCS	<input type="checkbox"/>	<input type="checkbox"/>	
Enhanced Taxi Markings	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
RWSL / LAHSO	<input type="checkbox"/>	<input type="checkbox"/>	
LPV GPS WAAS <input checked="" type="checkbox"/> LPV <input checked="" type="checkbox"/> GPS <input checked="" type="checkbox"/> WAAS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
RNP/AR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
ADS-B <input type="checkbox"/> In	<input type="checkbox"/>	<input type="checkbox"/>	
Full Stall (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
UPRT (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Icing (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Realistic Gusting Crosswind (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Bounced Landing (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Section 3b. Level 6 and Above FSTD Additional Helicopter FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (C or D) Attachment 1, Table 1B)			
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Helicopter Slope Landings	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	N41:57:58.19 / E12:29:04.72 (Rome)
Helicopter External Load Operations	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Hook and Hoist
Helicopter Pinnacle Approach to Landings	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	N40:45:50' W74:05:40 (Near KTEB)
Helicopter Night Vision Maneuvers Class A <input type="checkbox"/> , Class B Lens <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Category A Takeoffs	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Other Oil Rig	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Oil Rig (N041:45:36.03 / E011:39:43.02)
Other Confined Area	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	"S. Pertini" and "P. Repubblica" -- confined areas
Other Elevated Heliport	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	"Pretalata" and "Ministero Difesa Aeronautica" -- elevated heliports
Other	<input type="checkbox"/>	<input type="checkbox"/>	

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Section 3c. Level 4 & 5 FSTD Optionally Qualified Maneuvers, Procedures, Tasks, and Functions (as defined in Table B1B and D1B)			
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Preflight Procedures			
Preflight Inspection (flight deck only).	<input type="checkbox"/>	<input type="checkbox"/>	
Engine Start	<input type="checkbox"/>	<input type="checkbox"/>	
Pre-takeoff Checks.	<input type="checkbox"/>	<input type="checkbox"/>	
In-Flight Maneuvers			
Approach to Stalls	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Engine Failure (procedures only)	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Specific Flight Characteristics incorporated into user's approved flight training program	<input type="checkbox"/>	<input type="checkbox"/>	
Instrument Procedures			
Standard Terminal Arrival / Flight Management System Arrival	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Holding	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Precision Instrument, all engines operating	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Non-Precision Instrument, all engines operating	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Missed Approach	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Landings and Approaches to Landings			
Visual Approaches (normal, steep, shallow) with visual system	<input type="checkbox"/>	<input type="checkbox"/>	(Helicopter Only)
Normal and Abnormal Procedures			
Powerplant	<input type="checkbox"/>	<input type="checkbox"/>	
Fuel System	<input type="checkbox"/>	<input type="checkbox"/>	
Electrical System	<input type="checkbox"/>	<input type="checkbox"/>	
Environmental and Pressurization Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Fire Detection and Extinguisher Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Navigation and Avionics Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Automatic Flight Control System, Electronic Flight Instrument System, and Related Subsystems.	<input type="checkbox"/>	<input type="checkbox"/>	
Flight Control Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Anti-ice and Deice Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Aircraft and Personal Emergency Equipment	<input type="checkbox"/>	<input type="checkbox"/>	
Emergency Procedures			
Emergency Descent (Max Rate)	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Inflight fire and smoke removal	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Rapid Decompression	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Emergency Evacuation	<input type="checkbox"/>	<input type="checkbox"/>	
Post flight Procedures			
After-Landing Procedures	<input type="checkbox"/>	<input type="checkbox"/>	
Rotor brake operation.	<input type="checkbox"/>	<input type="checkbox"/>	(Helicopter Only)
Abnormal/emergency procedures	<input type="checkbox"/>	<input type="checkbox"/>	
Other			
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

Federal Aviation Administration
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAAID:	1908
Make/Model/Series:	AGUSTA-AW189-AW189
Evaluation Interval:	24

Narrative
