

Statement of Qualification

The Federal Aviation Administration (FAA) National Simulator Program (NSP) has evaluated this Flight Simulation Training Device (FSTD) and found it to meet the standards set forth in the qualification document.

Sponsor	Leonardo S.p.a Helicopters
FAA ID	1504
Aircraft Designation	AGUSTA-AW169-AW169
Qualification Document	14 CFR Part 60 (2008), Appendix C
Qualification Level	D
Expiration Date	6/30/2027

With the exception of noted exclusions for which this FSTD has not been subjectively tested, the qualification of this FSTD includes the tasks set out in the applicable qualification document. To maintain qualification, this FSTD must continue to meet all the standards and specifications of the qualification document and is subject to the conditions and limitations in the FSTD Information and Configuration List as well as the last FAA FSTD Evaluation Report. This certificate is not transferable, and unless revoked, suspended, or amended is valid until the expiration date.

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAA ID:	1504
Make/Model/Series:	LENRDO-AW169-169
Evaluation Interval:	36

Section 1. Sponsor FSTD Location Contact Information							
FSTD Location							
Training Facility Name:	Leona	Leonardo Helicopters Training Academy					
Address:	Via Ind	Via Indipendenza, 2 Varese					
City:	Sesto C	alende					
State/Prov/Terr:	IT						
Country:	ITA						
ZIP:	21018						
Local FAA Authority / FAA Training Program Approval Authority (TPA	(A)						
Name:	Caballe	ro-Sanabria, Ahmed					
Address:	8700 F	reeport Parkway					
City:	Irving						
State/Prov/Terr:	TX	Office:					
Country:	USA	Cell:	(689) 244-9583				
ZIP:	75063	Email:	ahmed.caballero-sanabria@faa.gov				
FAA Alternate POC (APM, FTPM, if applicable)							
Name:							
Address:							
City:							
State/Prov/Terr:		Office:					
Country:		Cell:					
ZIP:	Email:						
Sponsor FSTD Management Representative							
Name:	Cella, A	Alessandro					
Address:	Via Ind	ipendenza, 2					
City:	Sesto C	alende					
State/Prov/Terr:	IT	Office:	+39 0331 915082				
Country:	ITA	Cell:	+39 3455 775607				
ZIP:	21018	Email:	alessandro.cella@leonardo.com				
Sponsor FSTD Local Contact							
Name:	Orsini,	Daniele					
Address:	Via Ind	ipendenza, 2					
City:	Sesto C	alende					
State/Prov/Terr:	IT	Office:	+39 0331 915097				
Country:	ITA	Cell:	+39 340 601 7320				
ZIP:	21018	Email:	daniele.orsini@cae.com				

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAA ID:	1504
Make/Model/Series:	LENRDO-AW169-169
Evaluation Interval:	36

Section 2. FSTD Information						
A/C Common Name	:	LENRDO LENRDO-AW169		Manufacturer Name:		CAE
A/C Alternative Nan	ne:	AGUSTA-AW169-AW169		Manufactured Year:		2016
Qualification Basis:		14 CFR Part 60 (2008), Appendix C		Manufacture Serial No:		35181-GA104377
Qualification Level:		D		Sponsor's FSTD ID:		AW169 #1 FFS
FSTD Class:		Helo FFS		Evaluation Base Month:		Mar
FSTD Seats Availab	le:	5		FSTD Convertible to:		III
FSTD Configuration l	FSTD Configuration Information					
FSTD Configuration	(1):	LENRDO-AW169-169				
FSTD Configuration	(2):					
FSTD Configuration	(3):					
FSTD Configuration	(4):					
FSTD Configuration	(5):					
FSTD Engine Informa	ntion					
Pri. Engine Type / T	hrust:	Pratt&Whitney PW210A / 1100	HP	FADEC Version:		Fadec SW ver. 3.1
Alt. Engine Type / T	hrust:			FADEC Version:		
Alt. Engine Type / Thrust:			FADEC Version:			
Alt. Engine Type / Thrust:			FADEC Version:			
Flight Instrumentatio	Flight Instrumentation & Systems					
NVG	□ _{NVG}					
CPDLC				Other: EVS		
EFB Class:				Other:		
Data Sources & Mode	ls					
Flight Control Data: Model/Revision: AW169 FSTD Flight Control Data Gathering Report 169F0062T002/2 Rev.A						
Flight Control Data:	Model/Revision:	AW169 FSTD Flight Control Da	ata Gathering Repo	ort 169F0062T002/2 Rev.A		
Flight Control Data: Aero Model: Source		AW169 FSTD Flight Control Da AW169FFS Validation Data Ros				
Aero Model: Source	Model/Revision:					
Aero Model: Source	Model/Revision:	AW169FFS Validation Data Ros				LCoS/LED/DLP
Aero Model: Source Visual System Image Generator Ma	Model/Revision:	AW169FFS Validation Data Ros		J001 RevC.		LCoS/LED/DLP
Visual System Image Generator Ma	Model/Revision:	AW169FFS Validation Data Rose CAE Medallion 6031 Direct, Non-Collimated		Visual Projector Type:		
Aero Model: Source Visual System Image Generator Ma Display Type: Horizontal Field of V	Model/Revision:	AW169FFS Validation Data Rose CAE Medallion 6031 Direct, Non-Collimated		Visual Projector Type:		
Visual System Image Generator Ma Display Type: Horizontal Field of V	Model/Revision: ake/Model: /iew (degs):	AW169FFS Validation Data Rose CAE Medallion 6031 Direct, Non-Collimated		Visual Projector Type:		

Sponsor Name:	Leonardo S.p.a Helicopters				
Designator:	UGAW				
FAA ID:	1504				
Make/Model/Series:	LENRDO-AW169-169				
Evaluation Interval:	36				

Flight Management System										
Manufacturer:	Leonardo Helicopters									
Model:	Avionics System									
Type/Revision:	SW Phase 6.0									
Motion System										
Manufacturer:		CAE Moog E	MM60 with	Electric Vibration Platform						
Туре:		Electric								
Axis:		6								
Airport Qualificat	ion Models									
1: Airport / Runy	ways / Taxiway:			KTEB	/ All					
2: Airport / Runy	ways / Taxiway			KHOU / All						
3: Airport / Runways / Taxiway		LIRF / All								
Visual Ground Seg	gment									
Airport / Landing RW				KJFK .	/ 04R					
Helicopter Non-Airport Landing Areas										
Elevated Surface	:			"Pietralata" and Ministero della Difensa-elevated heliports Italy						
Confined Landin	g Area:			"P Repubblica" and "S. Pertini" Hospital- confine area- Italy						
Sloped Surface				KTEB- slope area- N 40:45:35.70/W74:05:19.70						
Other National Aviation Authority Qualifications (US-NAA BASA-SIPs Agreements Only)										
NAA Name:										
NAA FSTD ID N	0:									
NAA Qualificatio	on Level:									
NAA Qualificatio	on Basis:									

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAA ID:	1504
Make/Model/Series:	LENRDO-AW169-169
Evaluation Interval:	36

Except for Non-Qualified items, this FSTD is qualified to perform all maneuvers, procedures, tasks, and functions listed in the applicable QPS Appendix, Tables 1B and 1C of 14 CFR Part 60 as amended. Additionally, this FSTD is qualified to perform maneuvers, procedures, tasks, and functions annotated in sections 3a, 3b, or 3c. Specific use in conjunction with any training program must be approved by the FAA Training Program Approval Authority (TPAA).

Section 3a. Level 6 and Above FSTD Additional FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (A,B,C, or D) Attachment 1, Table 1B)					
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)		
CAT I (Minimums IAW sponsor/operator authorization)	V	V			
CAT II (Minimums IAW sponsor/operator authorization)					
CAT III (Minimums IAW sponsor/operator authorization)					
Circling Approach	V	V			
Windshear Training					
Auto-Coupled Approach	V	V			
Auto Go Around	V	V			
Auto-Land / Roll-Out Guidance					
TCAS/ACAS I / II 7.1	7	7	TCAS II, Ver 7.1		
WX-Radar	V	V			
HUD / HGS					
EFVS / SVS	V	V	Synthetic Vision System (SVS)		
TAWS (GPWS / EGPWS)	V	✓			
SMGCS					
Enhanced Taxi Markings	V	V	KJFK / ALL		
RWSL / LAHSO					
LPV GPS WAAS LPV GPS WAAS	V	V	KTEB RNAV (RNP) Z RWY 6		
RNP/AR	✓	√			
ADS-B In					
Full Stall (14CFR Part 60 (2016)/FSTD Directive 2)					
UPRT (14CFR Part 60 (2016)/FSTD Directive 2)					
Icing (14CFR Part 60 (2016)/FSTD Directive 2)					
Realistic Gusting Crosswind (14CFR Part 60 (2016)/FSTD Directive 2)					
Bounced Landing (14CFR Part 60 (2016)/FSTD Directive 2)					
Other					

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAA ID:	1504
Make/Model/Series:	LENRDO-AW169-169
Evaluation Interval:	36

Section 3b. Level 6 and Above FSTD Additional Helicopter FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (C or D) Attachment 1, Table 1B)						
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)			
Helicopter Slope Landings	V	V	N41:57:56.19 / E12:29:04.72			
Helicopter External Load Operations						
Helicopter Pinnacle Approach to Landings	V	V	N40:45:28.85 / W74:05:21.73			
Helicopter Night Vision Maneuvers Class A , Class B Lens						
Helicopter Category A Takeoffs	V	V				
Other Off Site	V	V	"S. Pertini" and "P. Repubblica" – confined areas			
Other Off Site	V	V	"Pietralata" and "Ministero Difesa Aeronautica" – elevated heliports			
Other	V	V	KTEB- slope area-N 40:45:35.70/W74:05:19.70			
Other	V	V	Oil Rig (LAT N041:45.36.03 LONG E011:39.43.02)			

Sponsor Name:	Leonardo S.p.a Helicopters
Designator:	UGAW
FAA ID:	1504
Make/Model/Series:	LENRDO-AW169-169
Evaluation Interval:	36

Section 3c. Level 4 & 5 FSTD Optionally Qualified Maneuvers, Procedures, Tasks, and Functions					
(as defined in Table B1B and D1B)					
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)		
Preflight Procedures	1				
Preflight Inspection (flight deck only).					
Engine Start					
Pre-takeoff Checks.					
In-Flight Maneuvers			T		
Approach to Stalls			(Level 5 Only)		
Engine Failure (procedures only)			(Level 5 Only)		
Specific Flight Characteristics incorporated into user's approved flight training program					
Instrument Procedures Standard Terminal Arrival / Flight Management System					
Arrival			(Level 5 Only)		
Holding			(Level 5 Only)		
Precision Instrument, all engines operating			(Level 5 Only)		
Non-Precision Instrument, all engines operating			(Level 5 Only)		
Missed Approach			(Level 5 Only)		
Landings and Approaches to Landings					
Visual Approaches (normal, steep, shallow) with visual system			(Helicopter Only)		
Normal and Abnormal Procedures					
Powerplant					
Fuel System.					
Electrical System					
Environmental and Pressurization Systems					
Fire Detection and Extinguisher Systems					
Navigation and Avionics Systems					
Automatic Flight Control System, Electronic Flight Instrument System, and Related Subsystems.					
Flight Control Systems					
Anti-ice and Deice Systems					
Aircraft and Personal Emergency Equipment					
Emergency Procedures					
Emergency Descent (Max Rate)			(Level 5 Only)		
Inflight fire and smoke removal			(Level 5 Only)		
Rapid Decompression			(Level 5 Only)		
Emergency Evacuation					
Post flight Procedures					
After-Landing Procedures					
Rotor brake operation.			(Helicopter Only)		
Abnormal/emergency procedures					
Other					

Other		

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Leonardo S.p.a Helicopters	
Designator:	UGAW	
FAA ID:	1504	
Make/Model/Series:	LENRDO-AW169-169	
Evaluation Interval:	36	

Narrative